Table 9.8b Adjusted Graft Survival, Living Donor Liver Transplants Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months (Tx 2006 - 2007)			1 Year (Tx 2006 - 2007)			5 Years (Tx 2002 - 2007)			10 Years (Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	537	91.3%	1.2%	537	86.6%	1.5%	1,854	73.1%	1.3%	3,201	61.8%	1.49
Age at Tx												
<1 Year	63	91.2%	3.7%	63	89.7%	4.0%	166	78.9%	4.0%	395	74.9%	2.49
1-5 Years	43	100.0%	0.0%	43	87.8%	5.2%	149	79.2%	3.6%	322	71.1%	3.09
6-11 Years	14	85.4%	9.4%	14	78.0%	11.3%	36	50.3%	12.2%	81	62.6%	8.19
12-17 Years	8	+	+	8	+	+	20	85.0%	7.8%	59	61.4%	7.69
18-34 Years	43	87.7%	5.1%	43	87.7%	5.1%	147	80.5%	3.4%	235	66.0%	3.79
35-49 Years	100	92.3%	2.6%	100	92.3%	2.6%	433	76.5%	2.4%	728	54.7%	4.09
50-64 Years	211	89.3%	2.2%	211	83.7%	2.8%	759	68.7%	2.1%	1,175	58.9%	2.29
65+ Years	55	95.0%	2.8%	55	84.9%	4.7%	144	73.4%	4.5%	206	56.7%	5.09
Recipient Ethnicity/Race												
White	425	90.1%	1.5%	425	86.3%	1.7%	1,444	72.1%	1.5%	2,435	61.0%	1.79
African American	28	96.1%	3.8%	28	76.9%	8.3%	97	68.3%	5.1%	189	56.0%	4.29
Hispanic/Latino	60	94.7%	3.0%	60	89.5%	4.1%	239	76.9%	3.0%	436	65.0%	3.09
Asian	20	100.0%	0.0%	20	95.2%	4.6%	56	86.0%	5.0%	120	67.6%	8.39
Other/Multi-race	4	+	+	4	+	+	18	86.9%	8.3%	21	78.4%	9.39
Recipient Gender												
- Female	238	91.0%	1.8%	238	86.9%	2.2%	818	73.5%	1.8%	1,439	62.9%	2.29
Male	299	91.5%	1.6%	299	86.4%	2.0%	1,036	72.8%	1.7%	1,762	61.1%	1.79

Source: OPTN/SRTR Data as of May 4, 2009.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

^{(+) =} Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Table 9.8b (Continued) Adjusted Graft Survival, Living Donor Liver Transplants Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months (Tx 2006 - 2007)			1 Year (Tx 2006 - 2007)			5 Years (Tx 2002 - 2007)			10 Years (Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	537	91.3%	1.2%	537	86.6%	1.5%	1,854	73.1%	1.3%	3,201	61.8%	1.4%
Primary Diagnosis												
Non-Cholestatic Cirrhosis Cholestatic Liver	211	90.6%	2.2%	211	84.4%	2.9%	857	69.8%	2.2%	1,447	51.6%	5.5%
Disease/Cirrhosis	116	89.3%	3.0%	116	86.6%	3.4%	399	76.8%	2.6%	590	62.8%	4.0%
Acute Hepatic Necrosis	24	87.2%	7.2%	24	82.9%	8.3%	80	74.1%	5.3%	166	68.7%	3.9%
Biliary Atresia	67	93.8%	3.6%	67	89.2%	5.1%	186	85.3%	3.5%	423	74.0%	3.2%
Metabolic Diseases	15	93.4%	6.2%	15	86.8%	8.6%	49	68.9%	8.6%	108	61.4%	5.6%
Malignant Neoplasms	59	92.1%	3.4%	59	87.4%	4.2%	137	61.0%	5.3%	221	50.0%	4.2%
Other	45	95.1%	3.3%	45	92.7%	4.1%	146	69.8%	5.4%	246	63.2%	4.3%

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

cs.

(+) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Multi-organ transplants are excluded.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.

Table 9.8b (Continued) Adjusted Graft Survival, Living Donor Liver Transplants Survival at 3 Months, 1 Year, 5 Years, and 10 Years

	3 Months (Tx 2006 - 2007)			1 Year (Tx 2006 - 2007)			5 Years (Tx 2002 - 2007)			10 Years (Tx 1997 - 2007)		
	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.	N	%	Std. Err.
Total												
All	537	91.3%	1.2%	537	86.6%	1.5%	1,854	73.1%	1.3%	3,201	61.8%	1.49
Transplant Center State												
Alabama	0	-	-	o	_	- 1	0	-	-	6	55.6%	21.29
Arizona	24	92.2%	5.2%	24	88.1%	6.3%	79	85.5%	3.9%	87	78.7%	6.19
California	64	96.8%	2.3%	64	91.9%	3.6%	311	77.5%	2.6%	511	67.5%	3.69
Colorado	14	87.6%	8.0%	14	87.6%	8.0%	63	84.0%	4.6%	127	71.6%	5.0
District of Columbia	11	87.6%	11.3%	11	87.6%	11.3%	20	49.7%	17.0%	29	52.4%	11.5
Delaware	6	76.8%	19.3%	6	76.8%	19.3%	28	75.7%	9.7%	38	73.0%	8.8
Florida	1	+	+	1	+	+	13	42.1%	13.6%	53	45.5%	6.8
Georgia	1	+	+	1	+	+	8	56.3%	17.2%	36	59.6%	9.0
Iowa	0	-	_	o	-	-	1	+	+	8	53.3%	18.5
Illinois	65	90.1%	3.6%	65	79.9%	4.9%	187	66.9%	4.1%	258	57.9%	4.3
Indiana	0	-	_	o	-	- 1	0	-	-	3	0.0%	0.0
Kentucky	0	-	_	o	-	-	1	0.0%	0.0%	1	0.0%	0.0
Louisiana	2	+	+	2	+	+	8	62.9%	19.5%	15	47.2%	14.3
Massachusetts	55	91.3%	3.5%	55	89.8%	3.8%	149	79.3%	4.2%	239	61.7%	8.4
Maryland	8	+	+	8	+	+	29	83.3%	6.7%	83	63.1%	5.8
Michigan	12	92.6%	6.9%	12	77.0%	11.2%	29	55.5%	11.8%	41	51.0%	9.6
Minnesota	58	93.4%	3.2%	58	93.4%	3.2%	150	75.6%	5.2%	184	77.6%	3.8
Missouri	4	36.7%	24.2%	4	36.7%	24.2%	21	66.7%	11.0%	46	49.8%	8.7
North Carolina	3	+	+	3	+	+	24	70.9%	11.7%	68	49.5%	9.3
Nebraska	11	88.9%	9.6%	11	45.1%	16.0%	45	67.1%	7.5%	65	66.0%	6.3
New Jersey	0	-	-	0	-	-	0	-	-	3	56.2%	27.0
New York	59	90.6%	3.7%	59	89.0%	3.9%	304	74.5%	2.8%	658	61.5%	2.7
Ohio	14	93.9%	5.7%	14	68.4%	11.4%	31	46.5%	13.0%	79	46.0%	6.5
Pennsylvania	88	92.7%	2.7%	88	90.6%	3.0%	242	69.5%	4.5%	295	65.4%	4.1
South Carolina	1	+	+	1	+	+	3	23.7%	18.5%	9	73.4%	15.2
Tennessee	0	-	-	o	-	-	7	50.8%	18.4%	31	50.0%	9.0
Texas	2	+	+	2	+	+	15	57.6%	12.8%	29	52.1%	10.6
Utah	3	+	+	3	+	+	7	66.8%	17.7%	20	62.1%	11.8
Virginia	29	80.0%	7.2%	29	76.6%	7.6%	69	75.6%	5.2%	156	55.9%	5.1
Washington	1	+	+	1	+	+	1	+	+	2	+	[
Wisconsin	1	+	+	1	+	+	9	61.8%	16.2%	21	48.4%	11.1

Source: OPTN/SRTR Data as of May 4, 2009.

Notes:

Multi-organ transplants are excluded.

ch) = Values not determined due to insufficient follow-up. (-) = Values not determined since there were no transplants in the category.

Cohorts are transplants performed during the years listed at the top of the table.

Graft survival follows individual transplants until graft failure. Counts for patient and graft survival are different because a patient may have more than one transplant for a type of organ.

Center volume = Center's yearly transplants performed during the base period, based on liver transplants.

Survival rates are adjusted to the characteristics of the 3 month and 1 year cohort. See Technical Notes for details.